



INFUSÕES®
E HISTÓRIA

INFUSÕES COM HISTÓRIA: Tisanes Fleuve et Vignobles

Mélange 5: Tisanes d'été

Composition suggérée:

Tiges feuillues et fleuris d'origan (*Origanum virens Hoffm. & Link.*)

Fleurons de camomille romaine (*Chamaemelum nobile* (L.) All.)

Feuilles de laurier (*Laurus nobilis* L.),

Feuilles de noyer (*Juglans regia* L.)

La fragrance tonifiante et la saveur très aromatique chaude et légèrement amère de ce mélange de plantes, évoquent les chaudes journées d'été Méditerranéen. Une tisane qui souligne les notes sensorielles de l'origan, à boire chaude pour en apprécier les arômes qui se dégagent avec la température.

Les plantes contiennent des composés chimiques naturels qui peuvent entraîner des effets indésirables en fonction de l'âge et de la condition du consommateur.

Instructions de préparation:

Température de l'eau : environ 90 °C

Quantité du mélange d'herbes : ± 10g/L

Temps d'extraction : infuser dans de l'eau chaude pendant 5 à 7 minutes, puis filtrer les herbes avec une passoire.

L'intensité de saveur et de couleur de cette tisane dépend de la quantité de mélange et de la durée d'infusion. Une quantité plus importante du mélange et une infusion plus longue donnent une couleur et un goût plus forts.

Raisonnement:

Ce mélange crée une boisson parfumée et vivifiante qui tire parti des caractéristiques sensoriels de l'origan. La fragrance de la tisane provient essentiellement des attributs sensoriels des feuilles et des fleurs d'origan, mis en évidence par son bouquet légèrement épicé et chaud, mêlé aux sensations typiques de la camomille et du laurier. De cette façon, les notes plus amères de l'origan et de la camomille sont adoucies, ainsi que le goût herbacé et terreux du laurier et des feuilles de noyer. Cet alliage donne quelque chose de métallique, caractéristique des feuilles des deux arbres conférés par la présence de tanins.

Les ingrédients utilisés sont traditionnellement associés à la gastronomie portugaise et à des potentiels effets thérapeutiques. La composition chimique de ces matrices végétales révèle des composés bioactifs aux propriétés antioxydantes, antimicrobiennes et antifongiques, présentant un intérêt nutritionnel et médicinal particulier pour la conservation de produits alimentaires.



INFUSÕES COM HISTÓRIA: Misturas do Rio e da Vinha

References:

Agência Europeia de Medicamentos (EMA; European Medicines Agency), agência descentralizada da União Europeia (UE) responsável pela avaliação científica, supervisão e monitorização da segurança dos medicamentos na EU, nomeadamente substâncias e preparações à base de plantas, juntamente com informações sobre utilizações recomendadas e condições de segurança. Monografias da EMA disponíveis em:

<https://www.ema.europa.eu/en/human-regulatory/herbal-products/european-union-monographs-list-entries>

- Andrade, Faustino, Garcia, Ladeiras, Reis & Rijo (2018). *Rosmarinus officinalis* L.: an update review of its phytochemistry and biological activity. *Future Science OA*, 4(4), FSO283.
- Barros, L., Cabrita, L. Vilas-Boas M., Carvalho, Ana Maria & Ferreira, ICFR. (2011). Chemical, biochemical and electrochemical assays to evaluate phytochemicals and antioxidant activity of wild plants. *Food Chemistry*, 127: 1600–1608
- Barros, L., Carvalho, Ana Maria & Ferreira, ICFR. (2010a). The nutritional composition of fennel (*Foeniculum vulgare*): Shoots, leaves, stems and inflorescences. *LWT Food Science and Technology*, 43 (5): 814-818
- Barros, L., Dueñas, M., Carvalho, Ana Maria, Ferreira, Isabel C.F.R., Santos-Buelga, Celestino. (2012). Characterization of phenolic compounds in flowers of wild medicinal plants from Northeastern Portugal. *Food and Chemical Toxicology*, 50 (5): 1576-1582
- Barros, L., Heleno, S., Carvalho, Ana Maria & Ferreira, ICFR. (2010c). Lamiaceae often used in Portuguese folk medicine as a source of powerful antioxidants: Vitamins and phenolics. *LWT Food Science and Technology*, 43: 544–550.
- Barros, L., Heleno, S., Carvalho, Ana Maria & Ferreira, ICFR. (2009). Systematic evaluation of the antioxidant potential of different parts of *Foeniculum vulgare* Mill. from Portugal. *Food and Chemical Toxicology*, 47: 2458–2464
- Barros, L., Oliveira, S., Carvalho, Ana Maria & Ferreira, ICFR. (2010b). In vitro antioxidant properties and characterization in nutrients and phytochemicals of six medicinal plants from the Portuguese folk medicine. *Industrial Crops and Products*, 32 (3): 572-579
- Dias, Maria Inês; Barros, Lillian; Dueñas, Monteserrat; Alves, Rita C.; Oliveira, M. Beatriz P.P.; Santos-Buelga, Celestino; Ferreira, Isabel C.F.R. (2014). Nutritional and antioxidant contributions of *Laurus nobilis* L. leaves: would be more suitable a wild or a cultivated sample? *Food Chemistry*, 156: 339–346
- EMA (2009). Community herbal monograph on *Rosmarinus officinalis* L., folium EMA/HMPC/13633/2009.
- Fatiha, B., Madani, K., Chibane, M. and Duez, P. (2017). Chemical composition and biological activities of *Mentha* species. In El-Shemy, HA (ed). *Aromatic and Medicinal Plants - Back to Nature*, Chapter 3, 47-80. Intecho Open Science
- Guimarães, R., Barros, L., Carvalho, Ana Maria & Ferreira, ICFR. (2011). Infusions and decoctions of mixed herbs used in folk medicine: synergism in antioxidant potential. *Phytotherapy Research*, 25 (8): 1209-1214
- Guimarães, Rafaela, Barros, Lillian, Duenas, Montserrat, Calhelha, R.C., Carvalho, Ana Maria, Santos-Buelga, C., Queiroz, M.J.R.P. & Ferreira, ICFR. (2013)a. Infusion and decoction of wild German chamomile: Bioactivity and characterization of organic acids and phenolic compounds. *Food Chemistry*, 136 (2): 947-954
- Guimarães, Rafaela, Barros, Lillian, Duenas, Montserrat, Calhelha, R.C., Carvalho, Ana Maria, Santos-Buelga, C., Queiroz, M.J.R.P. & Ferreira, ICFR. (2013)b. Nutrients, phytochemicals and bioactivity of wild Roman chamomile: A comparison between the herb and its preparations. *Food Chemistry*, 136 (2): 718-725
- Martins, Ana, Barros, Lillian, Carvalho, Ana Maria, Santos-Buelga, Celestino, Fernandes, Isabel P., Barreiro, Filomena, Ferreira, Isabel C.F.R. (2014). Phenolic extracts of *Rubus ulmifolius* Schoot flowers: characterization, microencapsulation and incorporation into yogurts as nutraceutical sources. *Food and Function*, 5: 1091-1100
- Miguel, M., Barros, L., Pereira, C., Calhelha, R., Garcia, P. Castro, MA, Santos-Buelga, C. and Ferreira, Isabel C. F. R. (2016). Chemical characterization and bioactive properties of two aromatic plants: *Calendula officinalis* L. (flowers) and *Mentha cervina* L. (leaves). *Food & Function*, 7, 2223.
- Moradi, M., Hassani, A., Sefidkon, F. & Maroofi, H. (2015) Chemical Composition of Leaves and Flowers Essential Oil of *Origanum vulgare* ssp. *gracile* Growing Wild in Iran. *Journal of Essential Oil Bearing Plants*, 18:1, 242-247.
- Młynarczyk, Wąlkowiak-Tomczaka, Łysiak (2018). Bioactive properties of *Sambucus nigra* L. As a functional ingredient for food and pharmaceutical industry. *Journal of Functional Foods*, 40, 377–390
- Naghiloo, S., Esmailou, Z., Gohari, G., Dadpour, M. R. (2013). Comparative inflorescence and floral ontogeny in the genus *Mentha* (Mentheae: Nepetoideae: Lamiaceae): variable sequences of organ appearance and random petal aestivation. *Plant Systematic Evolution*, DOI 10.1007/s00606-013-0885-8
- Nelofer, J. et al. (2017). *Calendula officinalis*: An Important Medicinal Plant with Potential Biological Properties. *Proceedings Indian Natural Science Academy*, 83 (4), 769-787.
- Pereira, C. Barros, L., Carvalho, Ana Maria & Ferreira, ICFR. (2013). Use of UFLC-PDA for the analysis of organic acids in thirty-five species of food and medicinal plants. *Food Anal. Methods*, 6:1337–1344.
- Pereira, C. Barros, L., & Ferreira, ICFR. (2015). A comparison of the nutritional contribution of thirty-nine aromatic plants used as condiments and/or herbal infusions. *Plant Foods Human Nutrition*, 70:176–183.
- Pinho, Eva, Ferreira, Isabel C.F.R., Barros, Lillian, Carvalho, Ana Maria, Soares, Graça, Henriques, Mariana (2014). Antibacterial potential of North-eastern Portugal wild plant extracts and respective phenolic compounds. *Bio Med Research International*, Article ID 814590, 8 pages <http://dx.doi.org/10.1155/2014/814590>
- Santos, A., Barros, L., Calhelha, R.C., Duenas, M., Carvalho, Ana Maria, Santos-Buelga, C. & Ferreira, ICFR. (2013). Leaves and decoction of *Juglans regia* L.: different performances regarding bioactive compounds and in vitro antioxidant and antitumor effects. *Industrial Crops and products*, 51: 430–436
- Sarraz, I. et al (2017). *Fraxinus*: A plant with versatile pharmacological and biological activities. *Evidence Based Complementary Alternative Medicine*, 4269868. doi: 10.1155/2017/4269868
- Teixeira, B. et al. (2013). Chemical composition and bioactivity of different oregano (*Origanum vulgare*) extracts and essential oil. *Journal of Science and Food Agriculture*, 93(11):2707-14.